



## **TX230-XP-200 Datasheet v1.0**



**Picture****TX230-XP-200****Physical parameter****TX230-XP-200**


No.	Parameter item	Parameter details & Description
1	Model	TX230-XP-200
2	Size	35 cm
3	Average Weight	100 ± 1 g
4	Shape Feature	Sucker antenna
5	Color	Black
6	Material	ABS+PC
7	Connector Type	SMA-J
8	Cable Length	200 cm

**Electrical parameter****TX230-XP-200**

No.	Parameter item	Parameter details & Description
1	Frequency Range	225 ~ 237MHz (Recommended 230 ± 5MHz)
2	Gain	4 dBi
3	SWR	≤ 1.5
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

**Dimension**



**TX230-XP-200**



**Test report TX230-XP-200**

【Testing Instrument】 : Agilent E5071C

【Test address】 : Chengdu Ebyte Electronic Technology Co.,Ltd.



## About us

Technical support: [support@cdebyte.com](mailto:support@cdebyte.com)

Documents and RF Setting download link: [www.cdebyte.com](http://www.cdebyte.com)

Thank you for using Ebyte products! Please contact us with any questions or suggestions:

[lirong@cdebyte.com](mailto:lirong@cdebyte.com)

-----  
Phone: 028-61543675

Web: [www.cdebyte.com](http://www.cdebyte.com)

Address: Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu,  
611731, Sichuan, China



**Chengdu Ebyte Electronic Technology Co.,Ltd.**