



4G Omni Outdoor Antenna

TECHNICAL DATA SHEET

TX4G-BLG-100





TX4G-BLG-100

NO.	MECHANICAL SPECIFICATIONS	VALUE	COMMENT
01	Part Number	TX4G-BLG-100	Omni Outdoor Antenna
02	Material	Fiberglass	
03	Material of Radiator	Copper	
04	Connector Type	N-Female	
05	Antenna Colour	White	
06	Overall Length	1020mm	OD33mm
07	IP Rating	IP 67	
08	Wind Resistance	60m/s	
09	Weight	560g	±3g

NO.	ELECTRICAL SPECIFICATIONS	VALUE	COMMENT
01	Frequency	4G	690~960/1710~2700MHz
02	Antenna Gain	10dBi	
03	Radiation type	Omnidirectional	
04	Polarization	Linear	Vertical
05	Horizontal Beamwidth	36 Deg	±3 Deg
06	Vertical Beamwidth	360 Deg	
07	Nominal Impedance	50Ω	
08	Max Input Power	100W	
09	S.W.R.	≤2.0	

NO.	ENVIRONMENTAL SPECIFICATIONS	VALUE	COMMENT
01	Operation Temperature	-40°C ~ +85°C	
02	Storage Temperature	-40°C ~ +85°C	
03	RoHS Compliant	YES	


MECHANICAL DRAWING




UNIT: mm

ITEM	PART NAME	QUANTITY	MATERIAL / FINISH
a	Connector	1	N-Female
b	Body	1	Copper Tube
c	Shell	1	Fiberglass

S.W.R.



SMITH



About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

 **Chengdu Ebyte Electronic Technology Co.,Ltd.**