



TX433-FPC-5711 Product Data Sheet

**433MHz FPC Internal Antenna
IPX-I Connector**



I. Product Introduction


TX433-FPC-5711 is a 433MHz FPC internal antenna. Size of the antenna is 57*10.5mm. With a IPX-I connector, it can be applied to such devices with frequency of 433MHz as wireless module, network devices.

II. Specification and Parameters

Physical Parameters	
Frequency	433MHz
Bandwidth	423-443MHz
Gain	2.5dBi
SWR	≤1.5
Polarization	Linear
Radiation Direction	Omnidirectional
Input Impedance	50 Ω
Power Capacity	2W
Other Parameters	
Size	57*10.5mm
Total Weight	1g
Material	FPC
Feeder Length	168mm
Connector	IPX-I
Working Temperature	-40°C ~ +85°C
Storage Temperature	-40°C ~ +85°C



III. Testing



IV. FAQ

- Antenna frequency shall be matched with that of the wireless devices, or the communication will be affected;
- Diffraction performance will be better with lower communication frequency and longer wave;
- Communication distance will be shorter if there is any straight-line barrier;
- Please be noted of the antenna radiation direction. Incorrect direction by installation will result in short communication distance;
- As radio wave may be absorbed by the ground, result will be affected if tested close to ground. It is suggested to test at a higher place;
- As radio wave can be highly absorbed by the ocean water, result will be affected if tested close to the sea;
- Signal will be seriously weakened if the antenna is put close to metal or inside metal shell;
- Lower impedance matching of antenna and communication devices will result in bad communication.

About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.ebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions: info@cdebyte.com

Fax: 028-64146160 ext. 821

Web: www.ebyte.com

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

