




## DC BRUSHLESS FAN

AF7D9225B 92\*92\*25mm


Motor:DC Brushless  
 Bearing:Ball、sleeve、Hydraulic  
 Shell frame: PBT UL94V-0  
 Fan blade: PBT UL94V-0  
 Insulation:Class B  
 Wire:AWG#26UL1007 (optional)  
 PIN1:BLACK WIRE---(-)  
 PIN2:RED WIRE---(+)



DIMENSIONS DRAWING(unit:mm)



P@Q CURVE(AT RATED VOLTAGE)



Model	Bearing Mode①	Rate d	Operating	Rated	Rated	Speed	Maximum air Flow		Maximum Air pressure		Noise
		Volt	voltage range	current	input power		M3/min	CFM	mmH2O	InH2O	
PART. NO.		VDC	VDC	Amp	Walt	R. P. M					dB-A
AF7D9225B12L	B=Ball S=Sleeve H=Hydraulic	12	7.5~13.5	0.1	1.20	2500	1.295	45.70	3.41	0.134	29.7
AF7D9225B12M		12	7.5~13.5	0.15	1.80	3000	1.546	54.60	4.98	0.196	34.3
AF7D9225B12H		12	7.5~13.5	0.18	2.16	3500	1.758	62.00	6.37	0.251	39.3
AF7D9225B12HH		12	7.5~13.5	0.27	3.24	4000	1.919	67.70	7.99	0.315	41.9
AF7D9225B12HV		12	7.5~13.5	0.43	5.16	4500	2.266	80.00	11.50	0.453	45.0
AF7D9225B12VH		12	7.5~13.5	0.47	5.64	5000	2.525	89.10	12.48	0.491	48.0
AF7D9225B24L		24	18~26.5	0.05	1.20	2500	1.295	45.70	3.41	0.134	29.7

AF7D9225B24M	B=Ball S=Sleeve H=Hydraulic	24	18~26.5	0.08	1.92	3000	1.546	54.60	4.98	0.196	34.3
AF7D9225B24H		24	18~26.5	0.09	2.16	3500	1.758	62.00	6.37	0.251	39.3
AF7D9225B24HH		24	18~26.5	0.14	3.36	4000	1.919	67.70	7.99	0.315	41.9
AF7D9225B24HV		24	18~26.5	0.22	5.28	4500	2.266	80.00	11.50	0.453	45.0
AF7D9225B24VH		24	18~26.5	0.24	5.76	5000	2.525	89.10	12.48	0.491	48.0
AF7D9225B48L		48	36~54	0.03	1.44	2500	1.295	45.70	3.41	0.134	29.7
AF7D9225B48M		48	36~54	0.04	1.92	3000	1.546	54.60	4.98	0.196	34.3
AF7D9225B48H		48	36~54	0.05	2.40	3500	1.758	62.00	6.37	0.251	39.3
AF7D9225B48HH		48	36~54	0.07	3.36	4000	1.919	67.70	7.99	0.315	41.9
AF7D9225B48HV		48	36~54	0.11	5.28	4500	2.266	80.00	11.50	0.453	45.0
AF7D9225B48VH		48	36~54	0.12	5.76	5000	2.525	89.10	12.48	0.491	48.0


①Bearing Mode:Ball/ Sleeve/Hydraulic/Ball (UL)/Sleeve (UL)Hydraulic (UL)

②X=Function: FG RD RDL LD PWM TP VC RC CS RP SS AS CL IPX5

③A=Plug

④C=Customized by customers: Air volume, Air duct, Movement, Service life, Temperature, Noise, Material, Mold.etc.

导引: 编码规则Code Rule



\*PROPRIETARY AND CONFIDENTIAL , THE INFORMATION CONTAINED IN THIS DRAWING IS THE  
SOLE PROPERTY OF <ALL NEW SEMI>.  
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF  
<ALL NEW SEMI> IS PROHIBITED.

<https://allnewsemi.com>  
<https://allnewsemi.shop>