




## DC BRUSHLESS FAN

AF7D12025B 120\*120\*25mm


Motor:DC Brushless  
 Bearing:Ball、sleeve、Hydraulic  
 Shell frame: PBT UL94V-0  
 Fan blade: PBT UL94V-0  
 Insulation:Class B  
 Wire:AWG#26UL1007 (optional)  
 PIN1:BLACK WIRE----(-)  
 PIN2:RED WIRE----(+)



DIMENSIONS DRAWING(unit:mm)



P@Q CURVE(AT RATED VOLTAGE)



Model	Bearing Mode①	Rate d	Operating	Rated	Rated	Speed	Maximum		Maximum		Noise
		Volt	voltage	current	input		air Flow	Air	pressure		
PART. NO.		VDC	range	Amp	Watt	R. P. M	M3/min	CFM	mmH2O	InH2O	dB-A
AF7D12025B12L	B=Ball S=Sleeve H=Hydraulic	12	7.5~13.5	0.3	3.60	2000	1.534	54.19	2.81	0.111	33.3
AF7D12025B12M		12	7.5~13.5	0.4	4.80	2500	1.910	67.49	4.25	0.167	41.3
AF7D12025B12H		12	7.5~13.5	0.5	6.00	3000	2.345	82.86	5.92	0.233	46.1
AF7D12025B12HH		12	7.5~13.5	0.6	7.20	3500	2.692	95.13	7.56	0.298	50.6
AF7D12025B12VH		12	7.5~13.5	0.7	8.40	4000	3.065	108.29	9.43	0.371	53.0
AF7D12025B12HV		12	7.5~13.5	0.8	9.60	4500	3.426	121.06	11.31	0.445	57.1
AF7D12025B24L		24	18~26.5	0.15	3.60	2000	1.534	54.19	2.81	0.111	33.3

AF7D12025B24M	B=Ball S=Sleeve H=Hydraulic	24	18~26.5	0.2	4.80	2500	1.910	67.49	4.25	0.167	41.3
AF7D12025B24H		24	18~26.5	0.25	6.00	3000	2.345	82.86	5.92	0.233	46.1
AF7D12025B24HH		24	18~26.5	0.3	7.20	3500	2.692	95.13	7.56	0.298	50.6
AF7D12025B24VH		24	18~26.5	0.35	8.40	4000	3.065	108.29	9.43	0.371	53.0
AF7D12025B24HV		24	18~26.5	0.4	9.60	4500	3.426	121.06	11.31	0.445	57.1
AF7D12025B48L		48	36~54	0.075	3.60	2000	1.534	54.19	2.81	0.111	33.3
AF7D12025B48M		48	36~54	0.1	4.80	2500	1.910	67.49	4.25	0.167	41.3
AF7D12025B48H		48	36~54	0.125	6.00	3000	2.345	82.86	5.92	0.233	46.1
AF7D12025B48HH		48	36~54	0.15	7.20	3500	2.692	95.13	7.56	0.298	50.6
AF7D12025B48VH		48	36~54	0.175	8.40	4000	3.065	108.29	9.43	0.371	53.0
AF7D12025B48HV		48	36~54	0.2	9.60	4500	3.426	121.06	11.31	0.445	57.1


①Bearing Mode:Ball/ Sleeve/Hydraulic/Ball (UL)/Sleeve (UL)Hydraulic (UL)

②X=Function: FG RD RDL LD PWM TP VC RC CS RP SS AS CL IPX5

③A=Plug

④C=Customized by customers: Air volume, Air duct, Movement, Service life, Temperature, Noise, Material, Mold.etc.

导引: 编码规则Code Rule



\*PROPRIETARY AND CONFIDENTIAL , THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <ALL NEW SEMI>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <ALL NEW SEMI> IS PROHIBITED.

<https://allnewsemi.com>  
<https://allnewsemi.shop>