




DC BRUSHLESS FAN

AQ3D17251B 172*51mm


Motor:DC Brushless
 Bearing:Two Ball
 Shell frame: Aluminum
 Fan blade: PBT UL94V-0
 Insulation:Class B
 Wire:AWG#26UL1007 (optional)
 PIN1:BLACK WIRE---(-)
 PIN2:RED WIRE---(+)



DIMENSIONS DRAWING(unit:mm)



P@Q CURVE(AT RATEDVOLTAGE)



Model	Bearing Mode①	Rated	Operating	Rated	Rated	Speed	Maximum		Maximum		Noise
		Volt	voltage range	current	input power		air Flow	Air pressure	mmH2O	InH2O	
PART. NO.		VDC	VDC	Amp	Watt	R. P. M	M3/min	CFM	mmH2O	InH2O	dB-A
AQ3D17251B12L	B=Ball S=Sleeve H=Hydraulic	12	7~13.5	0.79	9.48	2800	5.942	209.7	11.90	0.469	50
AQ3D17251B12M		12	7~13.5	1.35	16.20	3350	7.110	251.0	17.49	0.689	55
AQ3D17251B12H		12	7~13.5	1.94	23.28	4000	8.489	299.7	23.80	0.937	60
AQ3D17251B12VH		12	7~13.5	2.34	28.08	4350	9.230	325.0	27.50	1.083	64
AQ3D17251B24L		24	18~26.5	0.39	9.36	2800	5.942	209.7	11.90	0.469	50
AQ3D17251B24M		24	18~26.5	0.56	13.44	3350	7.110	251.0	17.49	0.689	55

AQ3D17251B24H	B=Ball S=Sleeve H=Hydraulic	24	18~26.5	0.97	23.28	4000	8.489	299.7	23.80	0.937	60
AQ3D17251B24VH		24	18~26.5	1.17	28.08	4350	9.230	325.0	27.50	1.083	64
AQ3D17251B24HV		24	18~26.5	2.40	57.6	5250	11.14	394.0	44.73	1.761	69
AQ3D17251B48L		48	36~54	0.19	9.12	2800	5.942	209.7	11.90	0.469	50
AQ3D17251B48M		48	36~54	0.31	14.88	3350	7.110	251.0	17.49	0.689	55
AQ3D17251B48H		48	36~54	0.49	23.52	4000	8.489	299.7	23.80	0.937	60
AQ3D17251B48VH		48	36~54	0.61	29.28	4350	9.230	325.0	27.50	1.083	64
AQ3D17251B48HV		48	36~54	1.20	57.6	5250	11.14	394.0	44.73	1.761	69


①Bearing Mode:Ball/ Sleeve/Hydraulic/Ball (UL)/Sleeve (UL)Hydraulic (UL)

②X=Function: FG RD RDL LD PWM TP VC RC CS RP SS AS CL IPX5

③A=Plug

④C=Customized by customers: Air volume, Air duct, Movement, Service life, Temperature, Noise, Material, Mold.etc.

导引: 编码规则Code Rule



*PROPRIETARY AND CONFIDENTIAL , THE INFORMATION CONTAINED IN THIS DRAWING IS THE
SOLE PROPERTY OF <ALL NEW SEMI>.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF
<ALL NEW SEMI> IS PROHIBITED.

<https://allnewsemi.com>
<https://allnewsemi.shop>