




## DC BRUSHLESS FAN

**AQ7D4010B 40\*40\*10mm**


Motor:DC Brushless  
 Bearing:Ball、Hydraulic  
 Shell frame: PBT UL94V-0  
 Fan blade: PBT UL94V-0  
 Insulation:Class B  
 Wire:AWG#26UL1007 (optional)  
 PIN1:BLACK WIRE---(-)  
 PIN2:RED WIRE---(+)



**DIMENSIONS DRAWING(unit:mm)**



**P@Q CURVE(AT RATED VOLTAGE)**



Model	Bearing Mode①	Rated Voltage	Operating voltage range	Rated current	Rated input power	Speed	Maximum air Flow		Maximum Air pressure		Noise
		VDC	VDC	Amp	Watt		R. P. M	M3/min	CFM	mmH2O	
PART. NO.		VDC	VDC	Amp	Watt	R. P. M	M3/min	CFM	mmH2O	InH2O	dB-A
AQ7D4010B05L	B=Ball S=Sleeve H=Hydraulic	5	4.5	0.08	0.40	4000	0.10	3.49	1.63	0.06	19.8
AQ7D4010B05M		5	4.0	0.11	0.55	5000	0.11	4.06	2.41	0.09	23.1
AQ7D4010B05H		5	4.0	0.17	0.85	6000	0.14	4.97	3.29	0.13	27.4
AQ7D4010B05U		5	4.0	0.22	1.10	7000	0.18	6.19	4.52	0.18	31.7
AQ7D4010B12L		12	9.0	0.08	0.96	4000	0.10	3.49	1.63	0.06	19.8
AQ7D4010B12M		12	9.0	0.08	0.96	5000	0.11	4.06	2.41	0.09	23.1

AQ7D4010B12H	B=Ball S=Sleeve H=Hydraulic	12	9.0	0.10	1.20	6000	0.14	4.97	3.29	0.13	27.4
AQ7D4010B12U		12	7.0	0.12	1.44	7000	0.18	6.19	4.52	0.18	31.7
AQ7D4010B12E		12	7.0	0.15	1.80	8000	0.20	7.07	6.20	0.24	34.3
AQ7D4010B24L		24	12.0	0.04	0.96	4000	0.10	3.49	1.63	0.06	19.8
AQ7D4010B24M		24	12.0	0.04	0.96	5000	0.11	4.06	2.41	0.09	23.1
AQ7D4010B24H		24	12.0	0.05	1.20	6000	0.14	4.97	3.29	0.13	27.4
AQ7D4010B24U		24	12.0	0.07	1.68	7000	0.18	6.19	4.52	0.18	31.7
AQ7D4010B24E		24	12.0	0.09	2.16	8000	0.20	7.07	6.20	0.24	34.3


① Bearing Mode: Ball/ Sleeve/ Hydraulic/ Ball (UL)/ Sleeve (UL) Hydraulic (UL)

② X=Function: FG RD RDL LD PWM TP VC RC CS RP SS AS CL IPX5

③ A=Plug

④ C=Customized by customers: Air volume, Air duct, Movement, Service life, Temperature, Noise, Material, Mold. etc.

导引：编码规则 Code Rule



\*PROPRIETARY AND CONFIDENTIAL , THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <ALL NEW SEMI>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <ALL NEW SEMI> IS PROHIBITED.

<https://allnewsemi.com>  
<https://allnewsemi.shop>