### AMP | AMPSEAL

TE Internal #: 776231-1

Vertical, Wire-to-Board, 35 Position, 3 Rows, 4mm [.157in]

Centerline, Tin (Sn), Sealable, Printed Circuit Board, AMPSEAL

View on TE.com >



Automotive Parts > Automotive Connectors > Automotive Headers > AMPSEAL PCB Vertical Headers



PCB Mount Orientation: Vertical
Connector System: Wire-to-Board

Number of Positions: 35

Number of Rows: 3

Centerline (Pitch): 4 mm [.157 in]

All AMPSEAL PCB Vertical Headers (56)

### **Features**

### **Product Type Features**

Header Type	Fully Shrouded
Connector Product Type	Connector Assembly
Connector System	Wire-to-Board
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board

## **Configuration Features**

PCB Mount Orientation	Vertical
Number of Positions	35
Number of Rows	3

# **Body Features**

Connector & Keying Code	1
Primary Product Color	Black

#### **Contact Features**

Contact Type	Pin
Contact Mating Area Plating Material	Tin (Sn)
Contact Current Rating (Max)	8 A



#### **Termination Features**

Termination Method to PCB	Through Hole - Solder
Mechanical Attachment	
Mating Alignment	With
PCB Mount Alignment	With
PCB Mount Retention	Without
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	4 mm[.157 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as




EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Compatible Parts







# Also in the Series | AMPSEAL









# Customers Also Bought

















### **Documents**

### **Product Drawings**

35POS,PIN DIA 1.3,HDR ASSY,180DEG,COD 1

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_776231-1\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_776231-1\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_776231-1\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**AMPSEAL Connector Series** 

English

**AMPSEAL Connector Catalog** 

English

ICT Terminals and Connectors Catalogue

English

## **Product Specifications**

**Application Specification** 

English

### **Agency Approvals**

**UL Report** 

English