



Connectors > Power Connectors > Circular Power > Circular Power Connectors



Connector Product Type: **Housing**
Operating Voltage: **600 VDC**
Connector System: **Wire-to-Wire**
Number of Positions: **16**
Sealable: **No**

Features

Product Type Features

Connector Product Type	Housing
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Plug
Circular Connector Shell Type	All Plastic

Configuration Features

Reverse Numbering	Without
Number of Positions	16
Number of Power Positions	0
Number of Signal Positions	16

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features



Reverse Gender	No
Contact Type	Socket
Contact Protection	With

Mechanical Attachment

Mating Alignment Type	Keyed
Mating Alignment	With
Mating Retention Type	Threaded Coupling
Thread Size	15/16-20 UNEF – 2A
Polarization Code	A
Connector Mounting Type	Cable Mount (Free-Hanging)
Mating Retention	With
Panel Mount Feature	Without

Housing Features

Body Orientation	Straight
Housing Color	Black
Housing Material	Nylon - GF
Circular Connector Shell Size	17

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Fluid Resistance	None

Operation/Application

Circuit Application	Power & Signal
Shielded	No

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 206552-1 CPC RECPT ASSEMBLY SIZE 17-16	 TE Part # 213841-3 POWERBAND CONT ASSY,SILVER PLT	 TE Part # 206036-8 RECEPT,SZ 17-16 CPC,W/INSERTS	 TE Part # 206036-4 CPC RECPT SEALED SIZE 17-16
 TE Part # 213905-1 CPC PLUG ASSY,SERIES 5,SZ 17-3	 TE Part # 206207-1 17-3 RECEPT. FREE-HANGING	 TE Part # 207299-3 FLANGE PLUG MOUNT CPC	 TE Part # 54011-1 CPC STRAIN RELIEF,SIZE 17



TE Part # 206036-3
RECEPT,SZ 17-16,CPC



TE Part # 213920-1
CPC SEAL KIT,UNASSM,SZ 17-16



TE Part # 213933-1
CPC,STRAIN RELIEF,SIZE 17



TE Part # 206036-1
RECEPT,SZ 17-16 CPC



TE Part # 788188-1
CPC 17-3 PLUG ASY,REV SEX



TE Part # 206036-5
CPC RECPT ASSEMBLY SIZE 17-16



TE Part # 1-207303-3
CPC RECPT ASSEMBLY SIZE 17-16



TE Part # 81665-2
FLANGE GASKET CPC



TE Part # 206036-2
CPC RECEPTACLE SIZE 17-3



TE Part # 206044-1
CPC PLUG ASSEMBLY SIZE 17-14



TE Part # 213847-1
POWERBAND CONT ASSY,SILVER PLT



TE Part # 213900-1
CPC SEAL ASSY KIT,SRS 6,17-10

Also in the Series | AMP CPC



Circular Power Connectors(425)



Connector Backshells(1)



Connector Caps & Covers(16)




Connector Contacts(6)




Connector Hardware(12)




Connector Seals & Cavity Plugs(35)



Connector Strain Relief(60)



Insertion & Extraction Tools(1)



Customers Also Bought

TE Part #206151-1 23-37 RECEPT STD SEX	TE Part #206150-1 CPC PLUG ASSEMBLY SIZE 23-37	TE Part #206322-9 CABLE CLAMP SIZE 17	TE Part #206837-1 CPC PLUG ASSEMBLY SIZE 23-24
TE Part #206705-1 CPC RECP. ASY SIZE 13-9	TE Part #206060-1 CPC PLUG ASSEMBLY SIZE 11-4	TE Part #66101-4 III+ SKT, 18-16, 30AU/FL, LP	TE Part #1-66103-8 III+ PIN, 24-20, TIN, LP
TE Part #66581-2 TYPE VI PIN CONT, MULTI-MATE	TE Part #1-206070-1 CABLE CLAMP KIT #17		

Documents

Product Drawings
CPC PLUG ASSEMBLY SIZE 17-16
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_206037-1_S.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_206037-1_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_206037-1_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English